


Setting new standards in the Analogue-world with Hikvision

- Highest resolution with PICADIS 720TVL cameras
- Embedded DVR's with "960H" recording

Highest Resolution

with 1.3MP Image Sensor



600TVL ANALOGUE CAMERAS



**Short Range IR DIS Bullet Camera
DS-2CE1582P-IR**

- 1/3" DIS Image Sensor
- 600 TVL Horizontal Resolution
- True Day/Night
- Fixed Lens: 2.8mm
- IP66 Weatherproof
- 15m IR Distance



**Long Range EXIR Bullet Camera
DS-2CE1682P-IT3**

- EXIR Technology
- 600 TVL Horizontal Resolution
- True Day/Night
- Fixed Lens: 12mm
- IP66 Weatherproof
- 40m IR Distance



**Vari-focal IR DIS Bullet Camera
DS-2CE1582P-VFIR3**

- True Day/Night
- 600 TVL Horizontal Resolution
- Vari-focal Lens: 2.8 - 12 mm
- Angle of view: 92° - 27.2°
- IP66 Weatherproof
- 40m IR Distance



**Short Range D/N IR Dome Camera
DS-2CE5582P-IRM**

- 1/3" DIS Image Sensor
- 600 TVL resolution
- Min. illumination 0.1 Lux
- True day / night
- IP66 Weatherproof
- 15m IR Distance



**Vari-focal IR DIS Dome Camera
DS-2CE5582P-VFIR3**

- True Day/Night
- 600 TVL horizontal resolution
- Vari-focal Lens: 2.8 ~ 12mm
- Angle of view: 80° - 27.2°
- IP66 Weatherproof
- 40m IR Distance



**Indoor D/N Dome Camera
DS-2CE5582P**

- True Day/Night
- 600 TVL Horizontal Resolution
- Fixed Lens: 2.8 mm
- 3-axis adjustment
- Power Supply: 12 VDC
- 15m IR Distance

720TVL ANALOGUE CAMERAS



**Short Range IR Bullet Camera
DS-2CE15C2P-IR**

- 1/3" PICADIS Image Sensor
- 720 TVL Horizontal Resolution
- True Day/Night
- Fixed Lens: 3.6mm
- Superior image quality
- 20m IR Distance



**Long Range IR Bullet Camera
DS-2CE16C2P-IT3**

- 1/3" PICADIS Image Sensor
- 720 TVL Horizontal Resolution
- EXIR Technology
- True Day/Night
- Fixed Lens: 12mm
- 40m IR Distance



**Extra Long Range IR Bullet Camera
DS-2CE16C2P-IT5**

- 1/3" PICADIS Image Sensor
- 720 TVL Horizontal Resolution
- EXIR Technology
- True Day/Night
- Fixed Lens: 16mm
- 80m IR Distance



**Short Range IR Dome Camera
DS-2CE55C2P-IRM**

- 1/3" PICADIS Image Sensor
- 720 TVL Horizontal Resolution
- True Day/Night
- Fixed Lens: 3.6mm
- Superior image quality
- 20m IR Distance



**Long Range IR Turret Camera
DS-2CE56C2P-IT3**

- 1/3" PICADIS Image Sensor
- 720 TVL Horizontal Resolution
- EXIR Technology
- True Day/Night
- Fixed Lens: 12mm
- 40m IR Distance



**True Day/Night Box Camera
DS-2CC11A2P**

- True Day/Night
- 700 TVL Horizontal Resolution
- Digital Wide Dynamic Range
- S/N Ratio: More than 62 dB
- Auto iris with DC / video drive
- AWB, AGC, ES and BLC

SPEED DOMES & ACCESSORIES



30/36X Day/Night PTZ Dome Camera
DS-2AF1-516/518

- 1/4" Sony Super HAD CCD
- Resolution: 540TVL / 600TVL (B/W)
- True day/night
- Min illumination: 0.2 lux@F1.4 (0.02 lux B/W)
- 30/36X Optical Zoom, 16X Digital Zoom
- Digital WDR, 3D DNR
- 3D intelligent positioning function
- Power Supply: 24 VAC
- IP66 Weatherproof



28/36X IR 80M PTZ Dome Camera
DS-2AF1-716/718

- 1/4" Sony Super HAD CCD
- Resolution: 540TVL / 600TVL (B/W)
- True day/night
- 30x/36x Optical Zoom, 12x Digital Zoom
- Digital WDR, 3D DNR
- 80m IR Distance
- 3D intelligent positioning function
- Power Supply: 24 VAC



RS-485 Keyboard
DS-1003KI

- Control DVR and PTZ separately
- Support DVR and keyboard cascading
- 3D joystick
- Power Supply: 12 VDC
- Rugged design



Wall Mount Bracket
DS-1614ZJ

- Hikvision White
- Aluminium
- 97×194.1×310mm



Pendant Mount Bracket
DS-1661ZJ

- Hikvision White
- Aluminium
- 116.5x200mm



Corner Mount Bracket
DS-1633ZJ

- Hikvision White
- Aluminium
- 176.8×194×419.5mm

DIGITAL VIDEO RECORDERS



White

7100 Economical Series Embedded Mini-DVR
DS-7104HWI-SL

- H.264 & dual-stream compression
- Full channel @ WD1 resolution recording
- Video input: 4/8/16-channels
- Audio input: 1-channel, RCA
- VGA and CVBS outputs
- Alarm for video loss and motion detection
- Embedded WEB server for remote access
- Mobile view on 3G/Wi-Fi enabled device
- Support 1 SATA HDD, Up to 4TB
- IR remote control and mouse operation
- Power supply: 12 VDC
- Dimensions (W × D × H): 200 × 200 × 45mm / 285 × 210 × 45mm (16-Ch.)



7300 Series 16-Channel Embedded DVR
DS-7316HWI-SH

- H.264 video compression
- WD1 resolution real-time recording
- HDMI & VGA output at up to 1920×1080P resolution
- Video input: 4/8/16-channels
- Audio input: 4-channels, RCA
- Dual-stream
- Gigabit network interfaces
- 4/8/16-ch synchronous playback
- Support 4 SATA HDD
- Alarm in: 4/8/16
- Alarm out: 1/4/4
- Power supply: 100 ~ 240 VAC, 5A
- Dimensions (W × D × H): 445 × 390 × 70 mm

All our Hikvision products comes with a 2-years warranty

HD MONITORS

To enjoy the benefit of high resolution surveillance cameras and DVR's, it is essential to view the footage on a full HD monitor. The following monitors we recommend to complete a high quality system, comprising of high resolution cameras, DVR's and monitors.



**LG 62 Series 23" Full HD Monitor
LG-M2362A-PT**

Full HD 1080p Resolution

It is able to display 1080p pictures, like those found on Blu-ray discs.

- Size: 23" Wide
- Resolution: 1920 x 1080
- Aspect Ratio: 16:9
- Connector: HDMI, DVI-D, D-Sub, PC Audio In, Headphone Out
- Dimension (W x D x H): 627 x 140 x 467mm
- Wall / Arm Mount Type: Yes
- Audio: PC Audio In

**LG 32/42" LED High Definition TV / Monitor
LG-32LT380 / LG-42LT380**

- Product Type edge-lit LED-backlit LCD TV
- Diagonal Size 32/42"
- Resolution 1920 x 1080
- Display Format 1080p (Full HD)
- HDMI Ports: 3 port(s)
- PC Interface VGA (HD-15)
- USB 2.0 (4 PIN USB Type A)
- HDCP Compatible
- Composite video/audio input
- Component video input
- Input Video Formats 720p, 1080i, 1080p
- Wall Mount Interface: Vesa 200 x 200mm



About Hikvision

Hikvision is the world's largest supplier of video surveillance products and solutions. The company specializes in video surveillance technology, as well as designing and manufacturing a full-line of innovative CCTV and video surveillance products. The product line ranges from cameras and DVRs to video management software. Since its inception in 2001, Hikvision has quickly achieved a leading worldwide market position in the security industry.

Hikvision possess the world's largest R&D team and state-of-art manufacturing facilities; both allow Hikvision's customers the benefit of world-class products that are designed with cutting-edge technology. As further commitment to its customers, Hikvision annually reinvests 7% of its revenue into R&D for continued product innovation and improvement.

Hikvision operates 31 domestic branches in China and 12 overseas regional branch offices, in conjunction with over 30,000 partners all over the world to achieve a truly global presence. Hikvision is now publicly listed on the Shenzhen Stock Exchange.